

OUTBACK TILES

Matt
Series

600 x
1200MM



60X120 CM | 24"X48" | 2'X4'

MATT FINISH

9 mm

GLAZED VITRIFIED TILES

ATHENS CHOCO



Random - 6

ATHENS TAUPE



Random - 6



FULLY DIGITAL
TECHNOLOGY

①

ATHENS
CHOCO

②

ATHENS
TAUPE




60X120 CM | 24"X48" | 2'X4'

MATT FINISH

9 mm


GLAZED VITRIFIED TILES

ATHENS DOVE



Random - 6

ATHENS GRIS



Random - 6



FULLY DIGITAL
TECHNOLOGY

①

ATHENS
DOVE

②

ATHENS
GRIS




60X120 CM | 24"X48" | 2'X4'

MATT FINISH

9 mm

GLAZED VITRIFIED TILES

EDEN LIGHT GREY



EDEN GREY



FULLY DIGITAL
TECHNOLOGY

①

EDEN LIGHT
GREY

②

EDEN
GREY



60X120 CM | 24"X48" | 2'X4'

MATT FINISH


9 mm

GLAZED VITRIFIED TILES

EDEN CREMA



EDEN BROWN



FULLY DIGITAL
TECHNOLOGY

①

EDEN
CREMA

②

EDEN
BROWN



60X120 CM | 24"X48" | 2'X4'

MATT FINISH


9 mm

GLAZED VITRIFIED TILES

EDEN BIANCO



HAZZLE BIANCO



Random - 6



FULLY DIGITAL
TECHNOLOGY

①

HAZZLE BIANCO




60X120 CM | 24"X48" | 2'X4' MATT FINISH
9 mm GLAZED VITRIFIED TILES

HAZZLE SLATE



Random - 6

HAZZLE BROWN



Random - 6



FULLY DIGITAL
TECHNOLOGY

①

HAZZLE
BROWN

②

HAZZLE
SLATE




60X120 CM | 24"X48" | 2'X4' MATT FINISH
9 mm GLAZED VITRIFIED TILES

GIALLO BLUE



Random - 4

GIALLO CREMA



Random - 4



FULLY DIGITAL
TECHNOLOGY

①

GIALLO BLUE



60X120 CM | 24"X48" | 2'X4' MATT FINISH
9 mm GLAZED VITRIFIED TILES

GIALLO GREY



Random - 4

GIALLO GRIS



Random - 4



FULLY DIGITAL
TECHNOLOGY

①

GIALLO
GRIS

②

GIALLO
GREY



60X120 CM | 24"X48" | 2'X4'

MATT FINISH

9 mm


GLAZED VITRIFIED TILES

NORWAY BIANCO



Random - 5

NORWAY GRIS



Random - 5




FULLY DIGITAL
TECHNOLOGY

①

NORWAY
GRIS

②

NORWAY
BIANCO



A solid, textured gray background with a fine, grainy texture, resembling paper or a matte-painted surface. The color is a uniform, muted gray, and the texture is consistent across the entire area.



A modern interior scene featuring a light beige tiled floor (labeled 2) and a wall of large, rectangular, light beige tiles (labeled 1). The room includes a dark grey bar counter with a green cake, two green bar stools, a round table with two red chairs, and a vase of flowers. A small white lamp is visible in the top right corner.



FULLY DIGITAL
TECHNOLOGY

①

NORWAY
TAUPE

②

NORWAY
IVORY




60X120 CM | 24"X48" | 2'X4' MATT FINISH
9 mm GLAZED VITRIFIED TILES

NORWAY GREY



Random - 5

SONIC HAZE



Random - 6



FULLY DIGITAL
TECHNOLOGY

①

SONIC HAZE




60X120 CM | 24"X48" | 2'X4'

MATT FINISH

9 mm

GLAZED VITRIFIED TILES

SONIC LIGHT



Random - 6

SONIC SLATE



Random - 6



FULLY DIGITAL
TECHNOLOGY

①

SONIC
LIGHT

②

SONIC
SLATE





60X120 CM | 24"X48" | 2'X4'

MATT FINISH

9 mm

GLAZED VITRIFIED TILES

SONIC SAND




Random - 6

SONIC BROWN



Random - 6



FULLY DIGITAL
TECHNOLOGY

①

SONIC
SAND

②

SONIC
BROWN



60X120 CM | 24"X48" | 2'X4'

MATT FINISH

9 mm


GLAZED VITRIFIED TILES

BETTON GREY



Random - 8

AZURE FOSSIL



Random - 4



FULLY DIGITAL
TECHNOLOGY

①

BETTON
GREY



60X120 CM | 24"X48" | 2'X4'

MATT FINISH

9 mm

GLAZED VITRIFIED TILES

CONCORDE BEIGE



Random - 4

CONCORDE GRIGIO



Random - 4



FULLY DIGITAL
TECHNOLOGY


①

CONCORDE
BEIGE



60X120 CM | 24"X48" | 2'X4' MATT FINISH
9 mm GLAZED VITRIFIED TILES

DORIAN GREY



Random - 5

POLAR GRIS



Random - 4



FULLY DIGITAL
TECHNOLOGY

①

DORIAN
GREY




60X120 CM | 24"X48" | 2'X4'

MATT FINISH

9 mm

GLAZED VITRIFIED TILES

SANDSTONE GRAPHITE



Random - 3

SANDSTONE PERLA



Random - 3



FULLY DIGITAL
TECHNOLOGY

①

SANDSTONE
PERLA

TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO-13006/EN14411 GROUP BIa	MEAN VALUE OF PGVT	MEAN VALUE OF GVT	Method of Testing
REGULATORY PROPERTIES				
Deviation in length & width	± 0.5 %	± 0.1 %	± 0.1 %	ISO-10545-2
Deviation in thickness	± 5.0 %	± 4.0 %	± 4.0 %	ISO-10545-2
Straightness in side	± 0.5 %	± 0.1 %	± 0.1 %	ISO-10545-2
Rectangularity	± 0.6 %	± 0.1 %	± 0.1 %	ISO-10545-2
Surface flatness	± 0.5 %	± 0.2 %	± 0.2 %	ISO-10545-2
Color difference	Unaltered	No change	No change	ISO-10545-16
Glossiness	As per mfg.	Min. 90%	Min. 4%	GLOSSOMETER
STRUCTURAL PROPERTIES				
Water absorption	< 0.50 %	< 0.20 %	< 0.20 %	ISO-10545-3
Apparent density	> 2.0 g/cc	> 2.10 g/cc	> 2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES				
Modulus of rupture	Min. 35 N/mm ²	Min. 40 N/mm ²	Min. 40 N/mm ²	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 2000 N	Min. 2000 N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIES				
Surface abrasion resistance	As per mfg	Min. Class-3	Min. Class-4	ISO-10545-7
MOH's hardness	As per mfg	Min. 4	Min. 5	EN 101
THERMO HYGROMETRIC PROPERTIES				
Frost resistance	No damage	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	Nil	ISO-10545-10
Thermal expansion (COE)	Max. 9.0 x 10 ⁻⁶	Max. 6.5 x 10 ⁻⁶	Max. 6.5 x 10 ⁻⁶	ISO-10545-8
CHEMICAL PROPERTIES				
Chemical resistance	No damage	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES				
Slip resistance	As per mfg	> 0.40	> 0.40	ISO-10545-17
Fire resistance	As per mfg	Fireproof	Fireproof	N. A.
Lead & Cadmium given off by glazed tiles	As per mfg	Does not yield Pb. & Cd.	Does not yield Pb. & Cd.	ISO-10545-15

PACKING DETAILS

Size	Normal Thickness	No. of Tiles/Box	Coverage Area/Box		Wt. of Box (approx)
60x120cm	9.00 mm	2 pcs	1.44 sq. mtr.	15.50 sq. ft.	28.00 kg

OUTBACK TILES

 info@outbacktiles.com.au

 www.outbacktiles.com.au

 02 72271382